

GRADE: <b>N40</b>	PROPRIETARY AND CONFIDENTIAL	UNLESS OTHERWISE SPECIFIED:	NAME		DATE		AMAZI	
MAGNETIZED: YES	THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF AMAZING MAGNETS LLC ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF AMAZING MAGNETS LLC IS PROHIBITED.	DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± 1/64 ANGULAR: MACH ± 1° THOP PLACE DECIMAL ± 0.01 THREE PLACE DECIMAL ± 0.005	DRAWN	LB	1/19/2012	1		= I S
RESIDUAL INDUCTION (Br): 12.5-12.8 KG			CHECKED	TB	1/19/2012	TITLE	: H125D	
COERCIVE FORCE (Hc): ≥ 11.4 KOe		MATERIAL:	COMMENTS: ALL EDGES BROKEN 0.025 MAX					
INTRINSIC COERCIVE FORCE (Hci): ≥ 12.0 KOe		NdFeB				SIZE	DWG. NO.	REV
MAX. ENERGY PRODUCT (BHmax): 38-41 MGOe	CAGE CODE	Ni-Cu-Ni (silver in Color)				<b>A</b> H1250	H125D-SPECS	0
MAX OPERATIONAL TEMP: 80C / 176F	4R1R7	DO NOT SCALE DRAWING				SCALE 2:1		
Г	1	2			2		,	

5 3 2