



AMAZING
MAGNETS®

GRADE: N50
MAGNETIZED: YES
RESIDUAL INDUCTION (Br): 14.0-14.5 KG
COERCIVE FORCE (Hc): ≥ 11.6 KOe
INTRINSIC COERCIVE FORCE (Hci): ≥ 11.0 KOe
MAX. ENERGY PRODUCT (BHmax): 48-51 MGOe
MAX OPERATIONAL TEMP: 70C / 158F

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF AMAZING MAGNETS LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF AMAZING MAGNETS LLC IS PROHIBITED.
CAGE CODE 4R1R7

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL: ± 1/64 ANGULAR: MACH ± 1° TWO PLACE DECIMAL ± 0.01 THREE PLACE DECIMAL ± 0.005
MATERIAL: NdFeB
FINISH: Ni-Cu-Ni (Silver in Color)
DO NOT SCALE DRAWING

NAME	DATE
DRAWN LB	1/18/2012
CHECKED TB	1/18/2012
COMMENTS: ALL EDGES BROKEN 0.025 MAX	

		AMAZING MAGNETS®	
TITLE: Q500PN50		SIZE A	DWG. NO. Q500PN50-SPECS
SCALE 2 : 1		REV 0	

5

4

3

2

1