





							AMAZI	NG	
GRADE: N40	PROPRIETARY AND CONFIDENTIAL	UNLESS OTHERWISE SPECIFIED:	NAME		DATE	. (4 +			
magnetized: YES	THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF AMAZING MAGNETS LLC ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF AMAZING MAGNETS LLC IS PROHIBITED.	DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± 1/64 ANGULAR: MACH ± 1° TWO PLACE DECIMAL ± 0.01 THREE PLACE DECIMAL ± 0.005	DRAWN	LB	12/13/2011		IVIAGINE		
RESIDUAL INDUCTION (Br): 12.5-12.8 KG			CHECKED	TB	12/13/2011	TITLE:	R250B-DM		
COERCIVE FORCE (Hc): ≥ 11.4 KOe			COMMENTS: ALL EDGES BROKEN 0.025 MAX		RZOOD DIVI				
INTRINSIC COERCIVE FORCE (Hci): ≥ 12.0 KOe		NdFeB			ŒN		DWG. NO.	REV	
MAX. ENERGY PRODUCT (BHmax): 38-41 MGOe	CAGE CODE	Ni-Cu-Ni (silver in Color)				A	R250B-DM-SPECS	U	
MAX OPERATIONAL TEMP: 80C / 176F	4R1R7	DO NOT SCALE DRAWING				SCALE 4:1			
5	[†] 4	3		2			1	1	