


GRADE: N40	PROPRIETARY AND CONFIDENTIAL	UNLESS OTHERWISE SPECIFIED:	NAME	DATE	 AMAZING MAGNETS®	
MAGNETIZED: YES	THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF AMAZING MAGNETS LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF AMAZING MAGNETS LLC IS PROHIBITED.	DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL $\pm 1/64$ ANGULAR: MACH $\pm 1^\circ$ TWO PLACE DECIMAL ± 0.01 THREE PLACE DECIMAL ± 0.005	DRAWN	LB		1/19/2012
RESIDUAL INDUCTION (Br): 12.5-12.8 KG			MATERIAL:	CHECKED	TB	1/19/2012
COERCIVE FORCE (Hc): ≥ 11.4 KOe		CAGE CODE	NdFeB	COMMENTS: ALL EDGES BROKEN 0.025 MAX		
INTRINSIC COERCIVE FORCE (Hci): ≥ 12.0 KOe			Ni-Cu-Ni (silver in Color)			
MAX. ENERGY PRODUCT (BHmax): 38-41 MGOe	4R1R7	FINISH:	SIZE	DWG. NO.	REV	
MAX OPERATIONAL TEMP: 80C / 176F		DO NOT SCALE DRAWING	A	S375C-SPECS	0	
			SCALE 2 : 1			

5

4

3

2

1